

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2559	(poll\$3 gather\$3 request\$3 collect\$3) NEAR8 (multiple plural) NEAR8 computer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 10:05
S2	1073	S1 AND (@RLAD<"19991124" @AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 10:07
S3	1	09/185506	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:13
S4	2559	(poll\$3 gather\$3 request\$3 collect\$3) NEAR8 (multiple plural) NEAR8 computer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:31
S5	1073	S4 AND (@RLAD<"19991124" @AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:18
S6	3	S5 AND collecting SAME attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:33
S7	2804	(poll\$3 gather\$3 request\$3 collect\$3 quer\$5) NEAR8 (multiple plural) NEAR8 computer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:31
S8	1172	S7 AND (@RLAD<"19991124" @AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:32
S9	81	S5 AND attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:33

S10	33	S5 AND (display\$3 show\$3) SAME attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:34
S11	33	S9 AND (display\$3 show\$3) SAME attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:35
S12	72	S8 AND (display\$3 show\$3) SAME attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:35
S18	67	S12 AND (software copy \$1right) SAME (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:41
S19	62	S12 AND (software copy \$1right) WITH (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:41
S21	1583	Software SAME copy\$1right WITH (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:44
S22	680	S21 AND (@RLAD<"19991124" @AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:44
S23	2	S7 AND S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 15:49
S24	2	S8 AND S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 17:29
S25	195	717/172.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/09 11:42

S27	8	S25 AND (push\$4 AND (copyright\$4 or license\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 20:41
S28	38	S25 AND push\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 17:37
S29	7	S25 AND (push\$4 AND (poll\$3 ping\$3 query) SAME client\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 20:49
S30	16	S25 AND (push\$4 AND (poll\$3 ping\$3 query) SAME Server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 20:53
S31	0	S30 NOT S30	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 20:50
S32	9	S30 NOT S29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/29 20:50
S33	6	S25 AND (push\$4 AND (poll\$3 ping\$3 query) SAME Server SAME client\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:35
S34	196	717/172.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:35
S35	0	S34 AND (push\$4 AND (poll\$3 ping\$3 query) SAME "server to" SAME client\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:36
S36	0	717/171-178.CCLS. AND (push \$4 AND (poll\$3 ping\$3 query) SAME "server to" SAME client \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:39

S37	0	(poll\$3 ping\$3 query) SAME "server to" SAME client\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:39
S38	0	717/171-178.CCLS. AND (push \$4 AND (poll\$3 ping\$3 query \$3) SAME "server to" SAME client\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:41
S39	11601	server SAME (poll\$3 ping\$3 query\$3) SAME client\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:42
S40	1020	server SAME (poll\$3 ping\$3 query\$3) ADJ client\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:42
S41	794	server WITH (poll\$3 ping\$3 query\$3) ADJ client\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:42
S42	9	717/171-178.CCLS. AND S41	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 08:44
S43	1	"6757894".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:16
S44	2162	server\$2 SAME poll\$5 SAME client\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:18
S45	2162	server SAME poll\$5 SAME client \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:19
S46	653	S45 AND (@RLAD<"19991124"@AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:20

S47	95	S46 AND attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 11:15
S48	8	server SAME poll\$5 SAME client \$3 SAME attribute NEAR5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:24
S49	2	S48 AND (@RLAD<"19991124" @AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:24
S50	40	server SAME poll\$5 SAME client \$3 SAME (attribute parameter) NEAR5 (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:24
S51	10	S50 AND (@RLAD<"19991124" @AD<"19991124")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/30 09:24
S52	3593	717/168-178.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/01/09 11:44
S53	1	"6301710".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/03/15 17:52

3/15/2008 10:53:23 PM

C:\Documents and Settings\SPannala\My Documents\EAST\Workspaces\09-448804j.wsp